




Manufactured at: 36 Wilson St. Sanford, ME 04073

genestconcrete.com



Engineering of a Genest Paving Stone Strength Meets Beauty


Genest began manufacturing paving stones in 1986, using a technology developed in Germany. This manufacturing process is called "Face Mix" and most of all the paver production in Europe now uses this method.

The manufacturing process starts with a "base mix" of high strength concrete combined with a high concentration of stone, mostly granite. This combination creates a paving stone with solid strength and durability. Next, we combine selected fine aggregate and a high concentration of cement and color pigment in the "face mix". This results in a more brilliant color blend, and a solid surface with no visible signs of stone.

During this process, the "base mix" is placed into the mold and compressed. Once the base is compacted, the "face mix" is immediately added and compressed together as a composite whole. The pavers now move onto the next stages of manufacturing. When installed, these paving stones will withstand severe New England weather conditions and continue performing as designed for years to come.

GENEST PAVING STONES & WALLS

Structural Integrity Durability Salt Resistance Limited Lifetime Warranty Fine Aggregates High Cement Content Brilliant Colors Exceeds Industry Standards





Resists damage from freeze-thaw cycles

High concentration of large stone and high-strength concrete

Cover: 33 WINDHAM RIDGE[™] in Meadow **Inside Cover:** 9 GRAND KATAHDIN[®] in Granite Blend & 63 HIGHLAND STONE[®] in Earth Blend

Table of Contents

Paving Stones

Katahdin Stone®
Grand Katahdin Stone™
Katahdin Stone® Circle
Didewater Stone®
e Eastern Bay Stone™
Baxter Stone®
Grand Baxter Stone™
Baxter Stone® Circle
Tradeport Stone™
Camden Bay Stone
Harborline Brick®
Hollandstone
Stormwater Brick®

Large Format Stones

Windham Ridge Flagging™
Kennebec Flagging
Portland Plank
Portland Plank 8″
Jordan Bay Flagging
Lexington Park Tile
Denmark Tile™
Blue Hill Flagging [™]
Yorkshire Tile [™]
🕑 XXL Plaza Stone
Duragreen®

35

37

39

41

43


45

47

49

51

53






Outdoor Living

Outdoor Fire Pits		
Borders & Accents		
Comfort Block Wall Systems		
Comfort Block 8″ - CB-8		

Retaining Wall Systems

Highland Stone® Retaining Wall Highland Stone® Freestanding Wall Highland Stone® Column Block Diamond® & Diamond Stone Cut® Diamond Pro® & Diamond Pro Stone Cut® Retaining Wall Accessory Products Genest Garden Wall Stone®





aying Styles & Warranty	
Paving Stones Laying Styles	
Large Format Stones Laying Styles	
Transferable Lifetime Warranty	

COMFORT 6LOCK
and the second
See pg. 59

75

76

78

Katahdin Stone®

Natural Stone Texture

Antiqued Edge

Katahdin Stone® can be used in combination with Grand Katahdin Stone™ or Katahdin Stone® Circle for additional laying styles. It is available in four different color options, each a unique blend of three different colors. Each color can be used alone or combined to create unique and dynamic color blends.





PRODUCT INFORMATION

Pallet wt	3,225 lbs
Sq ft per pallet	117.81 sq ft
Layers per pallet	11
Sq ft per layer	10.71 sq ft

3-Piece System All three sizes are together on one pallet.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	4 3/4" (120 mm)
Length	4 3/4" (120 mm)
Units/Pallet	231
Units/Layer	21
Units/Sq ft	6.4
Sq ft/Unit	.15

Height	2 3/8" (60 mm)
Width	4 3/4" (120 mm)
Length	7 1/8" (180 mm)
Units/Pallet	154
Units/Layer	14
Units/Sq ft	4.3
Sq ft/Unit	.23

Height	2 3/8" (60 mm)
Width	4 3/4" (120 mm)
Length	9 1/2" (240 mm)
Units/Pallet	154
Units/Layer	14
Units/Sq ft	3.2
Sq ft/Unit	.31

COLOR OPTIONS









Lakeshore

Meadow

Riverbed (Limited Availability)

Granite Blend




Grand Katahdin Stone[™]

Large Scale Design Possibilities

Antiqued Edge

Grand Katahdin Stone[™] has the texture of natural stone and an antiqued edge. The larger stones offer additional design possibilities for patios and walkways. It also can be used in combination with Katahdin Stone[®] for additional laying style options.





PRODUCT INFORMATION

Pallet wt 3,393 lbs	
Sq ft per pallet 124 sq ft	
Layers per pallet 10	
Sq ft per layer 12.4 sq ft	

3-Piece System All three sizes are together on one pallet.

Grand Katahdin Stone[™] is not intended for vehicular traffic.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	9 1/2" (240 mm)
Length	4 3/4" (120 mm)
Units/Pallet	60
Units/Layer	6
Units/Sq ft	3.2
Sq ft/Unit	.31

Height	2 3/8" (60 mm)
Width	9 1/2" (240 mm)
Length	9 1/2" (240 mm)
Units/Pallet	80
Units/Layer	8
Units/Sq ft	1.6
Sq ft/Unit	.62
sq ii/onii	.02

Height	2 3/8" (60 mm)
Width	9 1/2" (240 mm)
Length	14 1/4" (360 mm)
Units/Pallet	60
Units/Layer	6
Units/Sq ft	1.06
Sq ft/Unit	.94

COLOR OPTIONS









Lakeshore

Meadow

Riverbed (Limited Availability) Granite Blend




Katahdin Stone[®] Circle


Accents & Patterns **Enhance Design**

Antiqued Edge

Designed to work with Katahdin Stone® and Grand Katahdin Stone™. One pallet will produce two 7' circles or one 9' 10" circle (4 layers per 7' circle).

Please allow some spacing between stones for laying styles. Spare stones are included in the pallet.





PRODUCT INFORMATION

Pallet	wt	2,314 lbs
Sq ft p	per pallet	82.5 sq ft
Layers	s per pallet	8
Sq ft p	per layer	10.31 sq ft

5-Piece System All five sizes are together on one pallet.



UNIT DIMENSIONS



Height

Square

COLOR OPTIONS

Lakeshore

Height

Center Piece 2 3/8" (60 mm) Units/Pallet 8 Units/Layer 1

Large Wedge

Meadow

Height 2 3/8" (60 mm) Units/Pallet 16 Units/Layer 2

Small Wedge		
Height	2 3/8" (60 mm)	
Units/Pallet	240	
Units/Layer	30	

2 3/8" (60 mm) Units/Pallet 104 Units/Layer 13

Rectangle Height Units/Pallet 80 Units/Layer 10

2 3/8" (60 mm)



Riverbed (Limited Availability)

Granite Blend



3 1/8" (80 mm)

5 1/4" (134 mm)

7" (179 mm)

$\langle \mathsf{P} \rangle$ **Tidewater** Stone®

Storm Water Management

Antiqued Edge

Tidewater Stone®'s unique design makes it suitable for traditional paver installations and as a permeable paver for storm water management. The sizes of Tidewater Stone® make them a great fit for driveway installations. The weathered edges and wide color range make it a great fit for all outdoor living spaces.





PRODUCT INFORMATION

I	Pallet wt	3,242 lbs	
	Sq ft per pallet	84.40 sq ft	
	Layers per pallet	9	
	Sq ft per layer	9.6 sq ft	
L			

4-Piece System All four sizes are together on one pallet.

UNIT DIMENSIONS

Height	3 1/8" (80 mm)
Width	5 1/4" (134 mm)

Length 4 3/4" (120 mm) Units/Pallet 90 Units/Layer 10 Units/Sq ft 5.76 Sq ft/Unit .18

	J
Height	3 1/8" (80 mm)
Width	5 1/4" (134 mm)
Length	10 1/2" (269 mm)
Units/Pallet	81
Units/Layer	9
Units/Sq ft	2.61
Sq ft/Unit	.38

COLOR OPTIONS









Height

Width

Length

Units/Pallet 90

Units/Layer 10

Sq ft/Unit

Units/Sq ft 3.92

.25



Meadow

Height

Width

Length

Units/Pallet 108

Units/Layer 12

Sq ft/Unit

Units/Sq ft 5.22

.19

3 1/8" (80 mm)

5 1/4" (134 mm)

5 1/4" (134 mm)

 (\mathbf{P})

and storage.

Riverbed (Limited Availability)

Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration

Granite Blend



Storm Water Management

Natural Stone Texture

Eastern Bay Stone™ is a versatile paving stone. It was designed for conventional paver installations and can also be used as a permeable paver for storm water management.

You can choose from four laying styles. It will also compliment our antiqued edged pavers, when used in your design as a border stone.





PRODUCT INFORMATION

Pallet wt	3,501 lbs
Sq ft per pallet	128 sq ft
Layers per pallet	10
Sq ft per layer	12.8 sq ft



UNIT DIMENSIONS



Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

COLOR OPTIONS











Lakeshore Meadow

Riverbed (Limited Availability)

Granite Blend



Charcoal



Baxter Stone[®]

Signature Curved Edges

Natural Stone Texture

Baxter Stone® is a favorite choice for creating a rustic look. The signature edges of this paver imitate the curved waves of natural stone. Great for gentle curved walkways when laid in a running bond, and patios in either laying style.





PRODUCT INFORMATION

Pallet wt	3,300 lbs
Sq ft per pallet	121 sq ft
Layers per pallet	11
Sq ft per layer	11 sq ft

4-Piece System All four sizes are together on one pallet.

UNIT DIMENSIONS

Height	2 3/8" (60mm)
Width	5 1/2" (140 mm)
Length	4" (104 mm)
Units/Pallet	132
Units/Layer	12
Units/Sq ft	6.66
Sq ft/Unit	.15

	J
Height	2 3/8" (60mm)
Width	5 1/2" (140 mm)
Length	11" (279 mm)
Units/Pallet	99
Units/Layer	9
Units/Sq ft	2.44
Sa ft/Unit	.41

COLOR OPTIONS





Height

Width

Length

Units/Pallet 132

Units/Layer 12

Units/Sq ft 5

.20

Sq ft/Unit


2 3/8" (60 mm)

5 1/2" (140 mm)

5 1/2" (140 mm)



Granite Blend



Genest 17

Paving Stones Grand Baxter Stone™

$\langle \mathsf{P} \rangle$ **Grand Baxter** Stone™

Storm Water Management

Chiseled, Natural Edge

Grand Baxter Stone™ has the texture of natural stone and a chiseled edge. The larger stones offer additional design possibilities for patios and walkways. It can also be used in combination with Baxter Stone® or Baxter Stone® Circle for additional laying style options.





PRODUCT INFORMATION

2,770 lbs
97.35 sq ft
11
8.85 sq ft

3-Piece System All three sizes are together on one pallet.

Grand Baxter Stone™ is not intended for vehicular traffic.

UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	11" (280 mm)
Length	5 1/2" (140 mm)
Units/Pallet	44
Units/Layer	4
Units/Sq ft	2.38
Sq ft/Unit	.42

Height	2 3/8" (60 mm)
Width	11" (280 mm)
Length	11" (280 mm)
Units/Pallet	44
Units/Layer	4
Units/Sq ft	1.19
Sq ft/Unit	.84

Height	2 3/8" (60 mm)
Width	11" (280 mm)
Length	16 1/2" (420 mm)
Units/Pallet	33
Units/Layer	3
Units/Sq ft	1.26
Sq ft/Unit	1.26

COLOR OPTIONS





Cumberland Blend Earth Blend



Granite Blend

 (\mathbf{P})

Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.



Paving Stones Baxter Stone[®] Circle

Baxter Stone® Circle

Accents & Patterns Enhance Design

Natural Edge

Designed to work with the Baxter Stone®, Grand Baxter Stone[™] and more.

One pallet will produce two 7' circles or one 9' 10" circle (4 layers per 7' circle).

Please allow some spacing between stones for laying styles. Spare stones are included in the pallet.





PRODUCT INFORMATION

Pallet wt	2,273 lbs
Sq ft per pallet	82.5 sq ft
Layers per pallet	8
Sq ft per layer	10.31 sq ft

5-Piece System All five sizes are together on one pallet.



UNIT DIMENSIONS



Center Piece Height 2 3/8" (60 mm) Units/Pallet 8 Units/Layer 1

Large Wedge Height 23

Height2 3/8" (60 mm)Units/Pallet16Units/Layer2



Small Wedg	ge
Height	2 3/8" (60 mm)
Units/Pallet	240
Units/Layer	30

Square Height 2 3/8" (60 mm) Units/Pallet 104 Units/Layer 13

Rectangle	
Height	2 3/8" (60 mm)
Units/Pallet	80
Units/Layer	10

COLOR OPTIONS





Earth Blend



Granite Blend



Tradeport Stone[™]

Smooth Texture

Clean Lines

The larger size stones add appeal and distinction to any landscape project. The finish of Tradeport Stone™ offers a clean and striking look.





PRODUCT INFORMATION

Pallet wt	3,134 lbs
Sq ft per pallet	114.4 sq ft
Layers per pallet	11
Sq ft per layer	10.4 sq ft

3-Piece System All three sizes are together on one pallet.

Tradeport Stone[™] in 60 mm is not intended for vehicular traffic.

80 mm by special order only: **Tradeport Stone** in 80 mm can be used in light vehicular applications such as a residential driveway.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)	Height	2 3/8" (60 mm)	Height	2 3/8"
Width	7 7/8" (200 mm)	Width	7 7/8" (200 mm)	Width	7 7/8" (
Length	7 7/8" (200 mm)	Length	11 13/16" (300 mm)	Length	15 3/4"
Units/Pallet	44	Units/Pall	et 88	Units/Pallet	44
Units/Layer	4	Units/Laye	er 8	Units/Layer	4
Units/Sq ft	2.38	Units/Sq f	it 1.56	Units/Sq ft	1.18
Sq ft/Unit	.42	Sq ft/Unit	.64	Sq ft/Unit	.85

COLOR OPTIONS


Earth Blend





Gran

Granite Blend





Camden Bay Stone

Natural Cobblestone Appearance

Old World Charm

Camden Bay Stone is a classic choice for landscape projects. The stone sizes are ideal for walkways and patios. The natural cobblestone appearance will give an old world charm to your outdoor living space.







6" x 6"

Pallet wt.	3,290 lbs
Sq ft per pallet	120 sq ft
Layers per pallet	10
Sq ft per layer	12 sq ft

Height 2 3/8" (60 mm) Units/Layer 48	
Width 6" (152 mm) Units/Sq ft 4	
Length 6" (152 mm) Sq ft/Unit .25	
Units/Pallet 480	



6" x 9"

Pallet wt.	3,083 lbs
Sq ft per pallet	112.5 sq ft
Layers per pallet	10
Sq ft per layer	11.25 sq ft

Height	2 3/8" (60 mm)	Units/Layer	30
Width	6" (152 mm)	Units/Sq ft	2.67
Length	9" (229 mm)	Sq ft/Unit	.375
Units/Pallet	300		

COLOR OPTIONS



Granite Blend



Meadow



Charcoal



Harborline Brick®

Subtle Wire-Cut Characteristics

Old World Charm

Harborline Brick® has all the subtle characteristics of an old handmade brick. Perfect for walkways and patios, this paver will add a touch of class and charm to any New England home.






PRODUCT INFORMATION

Pallet wt	2,960 lbs
Sq ft per pallet	108 sq ft
Layers per pallet	9
Sq ft per layer	12 sq ft



UNIT DIMENSIONS



COLOR OPTIONS







Garden Blends must be purchased separately and mixed upon installation.

Pallets of both Cumberland and

Cumberland Blend Garden Blend

Blend

Cumberland/Garden




Hollandstone

Traditional Look of Clay Brick

Durable

Hollandstone paving stones beautifully combine the traditional look of clay brick with the durability of concrete. Available in a variety of earth tones and color blends. Hollandstone pavers offer multiple design possibilities.





60 mm

Pallet wt	2,966 lbs
Sq ft per pallet	108 sq ft
Layers per pallet	9
Sq ft per layer	12 sq ft



80 mm Special order only—ask for color choices.

Pallet wt	3,220 lbs
Sq ft per pallet	85.36 sq ft
Layers per pallet	8
Sq ft per layer	10.67 sq ft

Height	3 1/8" (80 mm)	Units/Layer	47
Width	4" (100 mm)	Units/Sq ft	4.5
Length	8" (200 mm)	Sq ft/Unit	.22
Units/Pallet	376		

COLOR OPTIONS





Summer Blend



Stormwater Brick[®]

Economical & Environmentally Friendly

Controls Water Runoff

The Stormwater Brick[®] used as part of a permeable pavement system is an excellent way to control water runoff. The aggregate base used in the system helps to filter and reduce pollutants. The ground water is recharged because the water is not running off the pavement. It collects and properly handles storm water, providing a functional and attractive paving solution for residential applications.





PRODUCT INFORMATION

Pallet wt	2,740 lbs
Sq ft per pallet	78.24 sq ft
Layers per pallet	8
Sq ft per layer	9.78 sq ft



UNIT DIMENSIONS

Height	3 1/8" (80 mm)
Width	4" (100 mm)
Length	8" (200 mm)
Units/Pallet	328
Units/Layer	41
Units/Sq ft	4.5
Sq ft/Unit	.22

4" x 8" and 4" x 4" all on one pallet.

Each layer contains 6 half units.

Height	3 1/8" (80 mm)
Width	4" (100 mm)
Length	4" (100 mm)
Units/Pallet	48
Units/Layer	6
Units/Sq ft	9
Sq ft/Unit	.11

COLOR OPTIONS



Cumberland Blend (Limited Availability)



end Granite Blend

 (\mathbf{P})

Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.



Large Format Stones Windham Ridge Flagging™

Windham Ridge Flagging™

Simulates **Natural Stone**

Clean, Modern Look

Windham Ridge Flagging[™] has a riven-faced texture which simulates natural stone. Each of the large scale pieces offers designs that are only found in natural stone pavements. Create a patio or walkway with the look of natural stone without the inconsistent thickness. When used in combination with Kennebec Flagging you can create even more interesting and dramatic design styles.





PRODUCT INFORMATION

Pallet wt	3,150 lbs
Sq ft per pallet	114.73 sq ft
Layers per pallet	11
Sq ft per layer	10.43 sq ft

3-Piece System All three sizes are together on one pallet.

Roller Compactor Recommended Windham Ridge Flagging[™] is not intended for use in driveways or other vehicular applications.



Т

Height	2 3/8" (60 mm)
Width	7 1/16" (180 mm)
Length	14 3/16" (360 mm)
Units/Pallet	33
Units/Layer	3
Units/Sq ft	1.44
Sq ft/Unit	.69

Height 2 3/8" (60 mm) Width 14 3/16" (360 mm) 14 3/16" (360 mm) Length Units/Pallet 33 Units/Layer 3 Units/Sq ft .71 Sq ft/Unit 1.40

Height	2 3/8" (60 mm)
Width	14 3/16" (360 mm)
Length	21 1/4" (540 mm)
Units/Pallet	22
Units/Layer	2
Units/Sq ft	.48
Sq ft/Unit	2.09

COLOR OPTIONS



Granite Blend

Meadow

Riverbed (Limited Availability)



Kennebec Flagging

Simulates Natural Stone

Elegant Style

Kennebec Flagging has the same riven-faced texture as our popular Windham Ridge Flagging[™] in an extra large format. The larger stone sizes offer a clean, modern look. Use them to create a grand entrance, striking pool patio or a majestic outdoor living room. When used in combination with Windham Ridge Flagging[™], you can create even more interesting and dramatic design styles.





PRODUCT INFORMATION

Pallet wt	2,445 lbs
Sq ft per pallet	84.72 sq ft
Layers per pallet	8
Sq ft per layer	10.59 sq ft

3-Piece System All three sizes are together on one pallet.

Roller Compactor Recommended

Kennebec Flagging is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	14 3/16" (360 mm)
Length	21 1/14" (540 mm)
Units/Pallet	8
Units/Layer	1
Units/Sq ft	.48
Sq ft/Unit	2.09

Height	2 3/8" (60 mm)
Width	21 1/4" (540 mm)
Length	21 1/4" (540 mm)
Units/Pallet	8
Units/Layer	1
Units/Sq ft	.32
Sq ft/Unit	3.14

Height	2 3/8" (60 mm)
Width	21 1/4" (540 mm)
Length	35 7/16" (900 mm)
Units/Pallet	8
Units/Layer	1
Units/Sq ft	.19
Sq ft/Unit	5.23

COLOR OPTIONS









Granite Blend

Lakeshore (Limited Availability)

Meadow

Riverbed (Limited Availability)



PPortlandPlank

Storm Water Management

Modern Design

The Portland Plank is a completely new look in a paving stone. The elongated look allows for designs with a clean, modern appearance.






PRODUCT INFORMATION

Pallet wt	2,900 lbs
Sq ft per pallet	63.36 sq ft
Layers per pallet	4
Sq ft per layer	15.84 sq ft

The Portland Plank 24" is not intended for vehicular traffic due to the 24" long unit exceeding the aspect ratio of 4:1 (length to thickness) recommended by the ICPI for driveways.



UNIT DIMENSIONS

Height	4" (102 mm)
Width	4" (102 mm)
Length	24" (610 mm)
Units/Pallet	96
Units/Layer	24
Units/Sq ft	1.52
Sq ft/Unit	.66
(Special Ord	ler Only)

Height4" (102 mm)Width4" (102 mm)Length16" (406 mm)Units/Pallet144Units/Layer36Units/Sq ft2.27Sq ft/Unit.44(Stocking)

Height	4" (102 mm)
Width	4" (102 mm)
Length	12" (305 mm)
Units/Pallet	192
Units/Layer	48
Units/Sq ft	3.03
Sq ft/Unit	.33
(Special Ord	er Only)

COLOR OPTIONS

Earth Blend





Granite Blend



Custom Finishes & Colors Available

P Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.



$\langle \mathsf{P} \rangle$ 8" Portland Plank

Storm Water Management

Modern Design

The 8" Portland Plank is The 8" Portland Plank is part of the Portland Plank collection adding additional pattern possibilities when using the 4" and 8" Portland plank in your design. Simple yet elegant, with a contemporary and fresh look.





PRODUCT INFORMATION

UNIT DIMENSIONS

Pallet wt	2,900 lbs
Sq ft per pallet	63.36 sq ft
Layers per pallet	4
Sq ft per layer	15.84 sq ft

The Portland Plank 24" is not intended for vehicular traffic due to the 24" long unit exceeding the aspect ratio of 4:1 (length to thickness) recommended by the ICPI for driveways.




Height	4″ (102 mm)	Height	4″ (102 mm)		Height
Width	8" (203 mm)	Width	8" (203 mm)		Width
Length	24" (610 mm)	Length	16" (406 mm)		Length
Units/Pallet	48	Units/Pallet	72		Units/Pallet
Units/Layer	12	Units/Layer	18		Units/Layer
Units/Sq ft	.76	Units/Sq ft	1.14		Units/Sq ft
Sq ft/Unit	1.32	Sq ft/Unit	.88		Sq ft/Unit
(Special Orc	ler Only)	(Special Orde	er Only)		(Special Ord

 (\mathbf{P})

COLOR OPTIONS



Earth Blend Granite Blend



Custom Finishes & Colors Available

Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

Genest genestconcrete.com 39

Jordan Bay Flagging

Riven-Faced Texture

Modern Design

Jordan Bay Flagging is perfect for an entryway, backyard patio, pool deck or outdoor entertainment areas. The larger stones with a riven-faced texture create a stunning appearance.





PRODUCT INFORMATION

Pallet wt	2,925 lbs
Sq ft per pallet	106.2 sq ft
Layers per pallet	10
Sq ft per layer	10.62 sq ft


Roller Compactor Recommended Jordan Bay Flagging is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS

Height	2 3/8" (60 mm)
Width	16" (406 mm)
Length	16" (406 mm)
Units/Pallet	60
Units/Layer	6
Units/Sq ft	.56
Sq ft/Unit	1.77

COLOR OPTIONS



Granite Blend

Meadow



Lexington Park Tile

Smooth Texture

Clean Lines

Lexington Park Tile is perfect for an entryway, backyard patio, pool deck or outdoor entertainment areas. With their smooth texture and clean lines, these slab stones create a stunning, contemporary appearance.





PRODUCT INFORMATION


Pallet wt	2,640 lbs
Sq ft per pallet	96 sq ft
Layers per pallet	6
Sq ft per layer	16 sq ft

Roller Compactor Recommended

Lexington Park Tile is not intended for use in driveways or other vehicular applications.



UNIT DIMENSIONS



COLOR OPTIONS

Granite Blend





Meadow



Natural



Natural Shot Blast (Special Order)

Genest 43

Large Format Stones

Denamark Tile™

Denmark Tile

Smooth Texture

Clean Lines

The combination of the 3-pieces of Denmark Tile creates contrast and definition for a sleek modern look. Perfect for patios, pool decks, and outdoor entertainment areas.





PRODUCT INFORMATION


Pallet wt	2,250 lbs
Sq ft per pallet	81.84 sq ft
Layers per pallet	8
Sq ft per layer	10.23 sq ft

3-Piece System All three sizes are together on one pallet.

Roller Compactor Recommended

Denmark Tile is not intended for use in driveways or other vehicular applications.

UNIT DIMENSIONS



Units/Sq ft .98 Sq ft/Unit 1.02

_		

Height	2 3/8" (60 mm)
Width	7 1/8" (180 mm)
Length	14 1/4" (360 mm)
Units/Pallet	24
Units/Layer	3
Units/Sq ft	1.47
Sq ft/Unit	.68

COLOR OPTIONS

Sq ft/Unit 1.71





Granite Blend

Meadow



Large Format Stones

Blue Hill Flagging™

Blue Hill Flagging™

Riven Face Texture

Clean Lines

Looking for texture with a contemporary look. Blue Hill Flagging is the right choice. This durable paver comes in 3 sizes and will make an impact on any residential or commercial project.





PRODUCT INFORMATION


Pallet wt	2,285 lbs
Sq ft per pallet	81.84 sq ft
Layers per pallet	8
Sq ft per layer	10.23 sq ft

3-Piece System All three sizes are together on one pallet.

Roller Compactor Recommended

Blue Hill Flagging is not intended for use in driveways or other vehicular applications.

UNIT DIMENSIONS



60 mm)	Hei
80 mm)	Wic

Height	2 3/8" (60 mm)
Width	7 1/8" (180 mm)
Length	14 1/4" (360 mm)
Units/Pallet	24
Units/Layer	3
Units/Sq ft	1.47
Sq ft/Unit	.68

COLOR OPTIONS





Granite Blend

Meadow



Large Format Stones Yorkshire Tile



Durable and Versatile

50 mm Thick

From on-grade landscaping projects to roof top terraces, Yorkshire Tile complements any landscape or building roof top. An optional pedestal system allows Yorkshire's to be elevated for complete sub-surface drainage around pool decks, deck and roof top patios.





PRODUCT INFORMATION

Pallet wt	2,720 lbs
Sq ft per pallet	112 sq ft
Layers per pallet	7
Sq ft per layer	16 sq ft

Roller Compactor Recommended Yorkshire Tile is not intended for use in driveways or

other vehicular applications.



UNIT DIMENSIONS

Height	 2" (50 mm)
Width	24" (610 mm)
Length	24" (610 mm)
Units/Pallet	28
Units/Layer	4
Units/Sq ft	.25
Sq ft/Unit	4



COLOR OPTIONS

Granite Blend





Natural



XXL PlazaStone

Large Scale Elegance

120 mm Thick

XXL Plaza large format stones are some of the toughest pavers available in the United States. Designed for heavy traffic areas, urban and village squares, with a clean modern look that's sure to add appeal to any large scale project.





200 mm x 400 mm

PRODUCT INFORMATION

Pallet wt.	2,960 lbs
Sq ft per pallet	51.6 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



Height	4 3/4" (120 mm)	Units/Layer	12
Width	7 7/8" (200 mm)	Units/Sq ft	1.16
Length	15 3/4" (400 mm)	Sq ft/Unit	.86
Units/Pallet	60	Unit Wt	49.3 lbs

400 mm x 400 mm

PRODUCT INFORMATION

Pallet wt.	2,980 lbs
Sq ft per pallet	51.6 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



Height	4 3/4" (120 mm)	Units/Layer	6
Width	15 3/4" (400 mm)	Units/Sq ft	.58
Length	15 3/4" (400 mm)	Sq ft/Unit	1.72
Units/Pallet	30	Unit Wt	97.33 lbs

SPECIAL ORDER ONLY

All colors and architectural blends, textures, and colors are available.

400 mm x 600 mm

PRODUCT INFORMATION

Pallet wt.	3,020 lbs
Sq ft per pallet	51.6 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS



Height	4 3/4" (120 mm)	Units/Layer	4
Width	15 3/4" (400 mm)	Units/Sq ft	.39
Length	23 5/8" (600 mm)	Sq ft/Unit	2.58
Units/Paller	1 20	Unit Wt	149 lbs

600 mm x 800 mm

PRODUCT INFORMATION

Pallet wt.	3,040 lbs
Sq ft per pallet	51.7 sq ft
Layers per pallet	5
Sq ft per layer	10.32 sq ft

UNIT DIMENSIONS

 $\langle \mathsf{P} \rangle$

and storage.



Height	4 3/4" (120 mm)	Units/Layer	2
Width	23 5/8" (600 mm)	Units/Sq ft	.19
Length	31 1/2" (800 mm)	Sq ft/Unit	5.17
Units/Paller	: 10	Unit Wt	300 lbs

(P) Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration



Duragreen[®]

Storm Water Management

Turf Paving System

The open grid design of Duragreen® stones makes them the natural choice for projects where erosion control, soil stabilization and the maintenance of green areas are important. Duragreen® can be used for driveways, boat ramps, lakeside stabilization and service access lanes. Topsoil and grass or aggregate can be placed in the 3" x 3" grid openings.





PRODUCT INFORMATION

Pallet wt	1,861 lbs
Sq ft per pallet	72.8 sq ft
Layers per pallet	7
Sq ft per layer	10.4 sq ft

Install Duragreen® with the grooved face up. The Duragreen® Stones are not covered by the Genest Lifetime Warranty.



UNIT DIMENSIONS

Height	3 5/8" (90 mm)
Width	15 3/8" (390 mm)
Length	23 3/4" (600 mm)
Units/Pallet	28
Units/Layer	4
Sq ft/Unit	2.56

P

Becomes permeable when installed according to ICPI specifications for permeable pavements with open-graded base and sub-base for infiltration and storage.

COLOR OPTIONS



Natural



Outdoor Living Outdoor Fire Pits

Outdoor Fire Pits

Rock Face Cap

Custom Metal Insert

Nothing brings people together like a campfire. The Genest Outdoor Fire Pits are easy to set up and come in square or round styles to add elegance to your outdoor living space.





Square Fire Pit

PRODUCT INFORMATION

Pallet wt

Square fire pit comes assembled as a kit on the pallet, including metal insert. Must be removed from pallet and installed per local fire codes.

1,620 lbs

FIRE PIT DIMENSIONS

Outside dimensions	49" x 49" x 15"
Inside dimensions	24" x 24"

COLOR OPTIONS



Granite Blend Earth Blend

Round Fire Pit



PRODUCT INFORMATION

Pallet wt	3,300 lbs
Layers per pallet	6
Typical Round Fire Pit consis 48 Genest Fire Pit Blocks and	

UNIT DIMENSIONS

Height	4" (102 mm)	Units/Pallet 144	
Depth	7″ (178 mm)	Units/Layer 24	
Length	11 1/2" (292 mr	n) Unit wt	21 lbs

FIRE PIT DIMENSIONS

Outside diameter	44″
Inside diameter	30

COLOR OPTIONS



Granite Blend Earth Blend

Accessory Items



HEAVY GAUGE STEEL COOKING GRATE For Genest Round and Square Fire Pits or Camp Fireplace. Sold separately.

* Fire Pit Screen Sold Separately



METAL INSERT For Genest Round and Square Fire Pits. Comes in kits or can be purchased separately.

Each Outdoor Fire Pit is sold with a heavy gauge metal insert. It is important to read the Genest Outdoor Fire Pit installation instructions before you build or use the fire pit. Please ask your Genest dealer for a copy of the installation instructions.



Borders & Accents


Just as a picture frame can enhance a work of art, framing a patio, walkway or driveway can create a stunning visual effect for a distinct landscape design.

Several types of Genest Paving Stones arranged in various fashions can be incorporated into borders and accents.

- 1 EASTERN BAY STONE™ in Charcoal
- 2 HOLLANDSTONE in Cumberland Blend
- **3** BAXTER STONE[®] in Granite Blend
- 4 CAMDEN BAY STONE in Charcoal







Comfort Block CB-8 system

Replace the 8" Block

The new CB-8 system from Comfort Block is designed for projects such as outdoor kitchen construction, sitting walls, and other various projects that normally use standard 8 inch block for rough construction. Instead of mortar, use glue!

Take advantage of the built-in utility channel as well and easily install electrical boxes after the wall has been constructed. The speed of construction with the CB-8 is unprecedented. After the CB-8 wall is constructed, finish with thin veneer, stucco or other similar products.



Learn More at ComfortBlock.com



COMFORTBLOCK PRECISION CONCRETE BLOCKS FOR A NEW GENERATION OF BUILDING

8" x 8" x 16" Stretcher **PRODUCT INFORMATION**

Pallet wt	1,417 lbs
Unit Weight	46 lbs
Units per pallet	30
Color	Natural



8" x 8" x 8" Half

Pallet wt	1,500 lbs
Unit Weight	25 lbs
Units pallet	60
Color	Natural

CB-8 SYSTEM: 8" THICK WALL

- + MANUFACTURED TO PRECISE HEIGHT + INTERLOCKING SIDES
- + QUICK ASSEMBLY WITH ADHESIVE
- + BUILT-IN ELECTRICAL CHANNEL
- + NO DRYWALL NEEDED
- + INSULATION INSERTS AVAILABLE
- + REPLACES STANDARD 8" BLOCK



MASONRY ADHESIVE AVAILABLE THRU GENEST

Genest genestconcrete.com

Retaining Wall Systems Highland Stone[®] Retaining Wall

2,940 lbs

30 sq ft

6 sq ft

Units/Layer 4

Units/Sq ft 4

Units/Layer 4

Units/Layer 4

12" (305 mm) Units/Sq ft 2

12" (305 mm) Sq ft/Unit .50

 12" (305 mm)
 Units/Sq ft
 1.33

 18" (457 mm)
 Sq ft/Unit
 .75

Unit Wt

Unit Wt

Unit Wt

Sq ft/Unit .25

22 lbs

48 lbs

5

20

All three sizes are together on one pallet.

6" (152 mm)

6" (152 mm)

6" (152 mm)

6" (152 mm)

12" (305 mm)

Highland Stone[®] Retaining Wall

Natural Stone Texture

Varied Contours

Create a natural stone appearance with Highland Stone® Retaining Wall. The 3" and 6" system combines earth tones, rich textures, varied contours and all the advantages of the structurally sound rear lip locating system, making it reliable and easy to install. The 3" and the 6" blocks can be installed separately or combined to create a stunning natural-looking wall.





3 " (Special Order Only)

PRODUCT INFORMATION

Pallet wt	3,565 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	10
Sq ft per layer	3 sq ft
Sets per pallet	40
6" / 12" / 18" Set All three sizes are togeth	er on one pallet.

UNIT DIMENSIONS



Height	3" (76 mm)	Units/Layer	4	
Depth	12" (305 mm)	Units/Sq ft	8	
Length	6" (152 mm)	Sq ft/Unit	.125	
Units/Pallet	40	Unit Wt	16 lbs	



Height	3" (76 mm)	Units/Layer	4
Depth	12" (305 mm)	Units/Sq ft	4
Length	12" (305 mm)	Sq ft/Unit	.25
Units/Pallet	40	Unit Wt	30 lbs



and the second s			
Height	3" (76 mm)	Units/Layer	4
Depth	12" (305 mm)	Units/Sq ft	2.70
Length	18" (457 mm)	Sq ft/Unit	.37
Units/Pallet	40	Unit Wt	42 lbs

COLOR OPTIONS

Lakeshore



Granite Blend



Meadow





75 lbs



6″

Pallet wt

Height

Depth

Length

Height

Depth

Length 12" Units/Pallet 20

Height

Depth

Length 18" Units/Pallet 20

Units/Pallet 20

Sq ft per pallet

Sq ft per layer

Sets per pallet

6" / 12" / 18" Set

Layers per pallet

Earth Blend



Retaining Wall Systems Highland Stone® Freestanding Wall

3,365 lbs

27.6 sq ft

6.9 sq ft

Units/Layer 5

Units/Sq ft 4.76

Sq ft/Unit .21

Units/Layer 5

Units/Layer 5

Units/Sq ft 1.4

12" (305 mm) Sq ft/Unit .46

Unit Wt

Units/Sq ft 2.17

25 lbs

50 lbs

Unit Wt

4

All three sizes are together on one pallet.

6" (152 mm)

9" (229 mm)

6" (152 mm)

6" (152 mm)

9" (229 mm)

6" (152 mm)

9" (229 mm)


Highland Stone® Freestanding Wall

Transforms Space with Natural Beauty

Versatile

From courtyards to patios, the multi-piece Highland Stone[®] Freestanding Wall system is the perfect choice to create a beautiful and natural looking wall. Use them to accent patio designs to turn your outdoor living space into an inviting garden courtyard. 3" and 6" units can be used alone or in combination to create a one-of-a-kind space.





3["] (Special Order Only)

PRODUCT INFORMATION

Pallet wt.	2,770 lbs
Sq ft per pallet	27.2 sq ft
Layers per pallet	8
Sq ft per layer	3.4 sq ft

6" / 12" / 18" Set All three sizes are together on one pallet.

UNIT DIMENSIONS

Carl I	
Heiaht	3" (76 mm)

Height	3" (/6 mm)	Units/Layer	5
Depth	9" (229 mm)	Units/Sq ft	10
Length	6" (152 mm)	Sq ft/Unit	.10
Units/Pallet	40	Unit Wt	10 lbs



Height	3" (76 mm)	Units/Layer	5
Depth	9" (229 mm)	Units/Sq ft	4.34
Length	12" (305 mm)	Sq ft/Unit	.23
Units/Pallet	40	Unit Wt	23 lbs



Height	3" (76 mm)	Units/Layer	5	
Depth	9" (229 mm)	Units/Sq ft	2.85	
Length	18" (457 mm)	Sq ft/Unit	.35	
Units/Pallet	40	Unit Wt	35 lbs	

COLOR OPTIONS







18" (457 mm) Sq ft/Unit .71

Unit Wt



75 lbs



Riverbed Meadow

(Limited Availa

6″

Pallet wt.

Height

Depth

Length

Height

Depth

Length

Height

Depth

Length Units/Pallet 20

Units/Pallet 20

Units/Pallet 20

Sq ft per pallet

Sq ft per layer

6" / 12" / 18" Set

Layers per pallet

Earth Blend



Highland Stone[®] Column Block

Increased Wall Stability

Polished Elegance

When used with the Highland Stone[®] Freestanding Wall, a column increases wall stability. Placing fixtures on columns is also a great way to incorporate lighting. Columns can be located in the middle or at the end of a wall.

There are numerous ways to cap a column. You can use the Genest cap units, single piece pre-cast units or natural stone.





Highland Stone[®] Column 6" Block

PRODUCT INFORMATION

Pal	let wt	2,340 lbs
Sq	ft per pallet	22.5 sq ft
Lay	rers per pallet	3
Sq	ft per layer	7.5 sq ft

UNIT DIMENSIONS



Height	6" (152 mm)	Units/Layer	10
Depth	9" (229 mm)	Units/Sq ft	1.33
Length	18" (457 mm)	Sq ft/Unit	.75
Units/Pallet	30	Unit Wt	78 lbs

COLOR OPTIONS

Lakeshore



Granite Blend

Riverbed (Limited Availability)



Meadow



Earth Blend



Highland Stone[®] Column **Cap Single Piece**

PRODUCT INFORMATION

Pallet wt	1,970 lbs
Layers per pallet	4

Highland Cap Unit requires 4 Single Pieces. Use concrete adhesive to glue all pieces when cap is complete.

UNIT DIMENSIONS



1.1			
Height	4" (102 mm)	Units/Layer	6
Depth	16" (406 mm)	Unit Wt	76 lbs
Length	16" (406 mm)		
Units/Pallet	24		

COLOR OPTIONS







Diamond[®] & Diamond Stone Cut®

Time-Tested Superior Performance

Natural Beauty

Diamond[®] and Diamond Stone Cut[®] retaining walls can give your landscape a new, improved look using the trusted quality of the anchor retaining wall system technology. Diamond[®] is the leading choice for builders and landscape contractors.





Diamond[®]

PRODUCT INFORMATION

P	allet wt	3,065/2,840 lbs
S	iq ft per pallet	30 sq ft
L	ayers per pallet	5
S	iq ft per layer	6.5 sq ft

UNIT DIMENSIONS



Straight Face

en algin i e			
Height	6" (152 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1.41
Length	17" (431 mm)	Sq ft/Unit	.70
Units/Pallet	45	Unit Wt	72 lbs



Beveled Face

Develoa i dee			
Height	6" (152 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1.54
Length	15 3/8" (390 mm)	Sq ft/Unit	.65
Units/Pallet	45	Unit Wt	68 lbs

COLOR OPTIONS




Tan





Granite Blend (Straight Face Only)





Diamond Stone Cut[®]

PRODUCT INFORMATION


Pallet wt	2,840 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	5
Sq ft per layer	6 sq ft

UNIT DIMENSIONS



Height	6" (152 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1.50
Length	16" (406 mm)	Sq ft/Unit	.66
Units/Pallet	45	Unit Wt	70 lbs

COLOR OPTIONS



Granite Blend*

- Earth Blend*
- *While Supplies Last



Diamond Pro[®] & Diamond Pro Stone Cut®

Large Scale Landscape Projects

Natural Stone Texture

The proven strength of the Diamond Pro[®] retaining wall system technology along with the choice of the traditional straight face texture or the natural stone appearance of Diamond Pro Stone Cut[®], make this product the perfect choice for larger scale landscaping projects.





Diamond[®] Pro

PRODUCT INFORMATION


Pallet wt	3,465 lbs
Sq ft per pallet	45 sq ft
Layers per pallet	5
Sq ft per layer	9 sq ft

UNIT DIMENSIONS



Straight Fa	ice		
Height	8" (203 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1
Length	18" (457 mm)	Sq ft/Unit	1
Units/Pallet	45	Unit Wt	75 lbs

COLOR OPTIONS



Pallet wt 3,465 lbs

Diamond[®] Pro Stone Cut

Sq ft per pallet	45 sq ft
Layers per pallet	5
Sq ft per layer	9 sq ft

7″ & 11″ Set

Pallet wt	3,250 lbs
Sq ft per pallet	45 sq ft
Layers per pallet	5
Sq ft per layer	8 sq ft

UNIT DIMENSIONS

Card			
Height	8" (203 mm)	Units/Layer	9
Depth	12" (305 mm)	Units/Sq ft	1
Length	18" (457 mm)	Sq ft/Unit	1
Units/Pallet	45	Unit Wt	72 lbs



1-1-	 	 	-	,,

Height	8" (203 mm)	Units/Layer	8
Depth	12" (305 mm)	Units/Sq ft	2.56
Length	7" (178 mm)	Sq ft/Unit	.39
Units/Pallet	45	Unit Wt	36 lbs



(Special Order Only)

11″			
Height	8" (203 mm)	Units/Layer	8
Depth	12" (305 mm)	Units/Sq ft	1.64
Length	11" (280 mm)	Sq ft/Unit	.61
Units/Pallet	45	Unit Wt	46 lbs

COLOR OPTIONS



Granite Blend

Earth Blend



Retaining Wall Systems Diamond Pro[®] & Diamond Pro Stone Cut[®]

Retaining Wall Systems


Retaining Wall Accessory Products

Retaining Wall Accessory Products

Completes Your Landscape Design

Functional Additions

Complete your retaining walls with caps, steps, and corners. Each crafted with the same rich textured appearance as our retaining wall and freestanding wall products. Torpedo base block is a handy addition for quick and easy base installation.





Cap Block

PRODUCT INFORMATION

Pallet wt	3,850 lbs	1
Sq ft per pallet	27 sq ft	
Layers per pallet	10	
Sq ft per layer	2.7 sq ft	
Linear coverage per unit	1.35 linear ft	

UNIT DIMENSIONS

Height	3" (76 mm)	Units/Layer	8
Depth	12" (305 mm)	Units/Sq ft	2.9
Length		Sq ft/Unit	.34
(432-394 m	(432-394 mm)	Unit Wt	44 lbs
Units/Pallet 80			

Corner Block 6"

PRODUCT INFORMATION

Pallet wt	2,265 lbs
Sq ft per pallet	22.5 sq ft
Layers per pallet	3
Sq ft per layer	7.5 sq ft

UNIT DIMENSIONS

Height	6" (152 mm)	Units/Layer	10
Depth	9" (229 mm)	Units/Sq ft	1.33
Length	18" (457 mm)	Sq ft/Unit	.75
Units/Palle	t 30	Unit Wt	78 lbs

Step Block

PRODUCT INFORMATION

Pallet wt4,300 lbsSq ft per pallet33 sq ftLayers per pallet5

Sq ft per layer 6.6 sq ft

UNIT DIMENSIONS

Height	6" (152 mm)	Units/Layer	10
Depth	12" (305 mm)	Units/Sq ft	1.51
Length	16" (406 mm)	Sq ft/Unit	.66
Units/Pall	et 50	Unit Wt	86 lbs

Pro Corner Block 8"

PRODUCT INFORMATION

Pallet wt	2,340 lbs
Sq ft per pallet	30 sq ft
Layers per pallet	3
Sq ft per layer	10 sq ft



UNIT DIMENSIONS

Height	8" (203 mm)	Units/Layer	10
Depth	9″ (229 mm)	Units/Sq ft	1
Length	18" (457 mm)	Sq ft/Unit	1
Units/Palle	t 30	Unit Wt	101 lbs

ONLY AVAILABLE IN: Granite Blend, Earth Blend and Tan


Color Options



Torpedo[®] Base Block

Gray

PRODUCT INFORMATION



Color: Natural

UNIT DIMENSIONS

H	eight	4" (102 mm)	Units/Layer	8
D	epth	15 3/4" (400 mm)	Units/Lin ft	1.31
Le	ength	11" (280 mm)	Unit Wt	49 lbs
U	nits/Pallet	64		



Genest Garden Wall Stone®

Decorative Landscape Projects

Elegant Detail

Aspen Stone® and Garden Wall Stone are the natural-looking, lightweight choice for decorative projects. They are perfect for DIY projects, building retaining walls, garden planters, and tree rings up to two feet tall.






Genest Garden Wall Stone®

Pallet wt	3,218 lbs
Sq ft per pallet	46 sq ft
Layers per pallet	6
Sq ft per layer	7.7 sq ft

Cap

Pallet wt	2,637 lbs
Sq ft per pallet	29 sq ft
Layers per pallet	6
Sq ft per layer	4.8 sq ft
Linear coverage per unit	.875 linear ft

UNIT DIMENSIONS



COLOR OPTIONS




Granite Blend

Earth Blend


Paving Stones Laying Styles

7 KATAHDIN STONE®






13 TIDEWATER STONE®



15 EASTERN BAY STONE™



19 GRAND BAXTER STONE™

Running Bond


Random Ashlar

Combo Baxter &


Grand Baxter Stone

17 BAXTER STONE®





23 TRADEPORT STONE™



NOTE: Some laying styles may not reflect the number of stone sizes within a pallet. In some cases, you may have extra or fewer stones in your design. Examples are not repeating patterns.




Layout


25 CAMDEN BAY STONE

6x6 & 6x9 6x6 Running Bond 6x9 Running Bond Running Bond







27 HARBORLINE BRICK®



29 HOLLANDSTONE



31 STORMWATER BRICK®



STARTING FROM THE CENTER: 7' CIRCLE


Center: 1 center piece Ring 1: 8 large wedges Ring 2: 16 small wedges *Ring 3:* 24 small wedges *Ring 4:* 15 small wedges & 15 rectangles Ring 5: 18 small wedges, 9 rectangles & 9 squares Ring 6: 21 small wedges, 11 rectangles & 12 squares *Ring 7:* 24 small wedges, 24 squares & 1 rectangle 9' 10" CIRCLE Ring 8: 29 small wedges, 15 squares & 14 rectangles Ring 9: 32 small wedges, 17 squares & 16 rectangles Ring 10: 35 small wedges, 25 squares & 11 rectangles




Large Format Stones Laying Styles

33 WINDHAM RIDGE FLAGGING[™]

35 KENNEBEC FLAGGING





37 & 39 PORTLAND PLANK



E
Ē
Ē
E
Ē

3 Sz Running Bond	1 Size Running Bond	4" & 8" Mix Running Bond


41 JORDAN BAY FLAGGING

Runni	ng Bond	Stack Bond	



51 XXL PLAZA STONE

53 DURAGREEN





NOTE: Some laying styles may not reflect the number of stone sizes within a pallet. In some cases, you may have extra or fewer stones in your design. Examples are not repeating patterns.









Top: 7 KATAHDIN STONE® in Mixed Colors Bottom: 33 WINDHAM RIDGE[™] in Meadow







Genest Paving Stone & Walls Transferable Lifetime Warranty

Genest is pleased to offer a transferable lifetime warranty on the structural integrity of our paving stones and landscape retaining walls for residential use.

This warranty protects against structural failure of our paving stones and retaining walls under normal conditions, including exposure to de-icing salts. We certify that our paving stones conform to the most current specification standards by the Interlocking Concrete Pavement Institute (ICPI) and ASTM Standard Specifications for Concrete Unit Pavers. We certify that our landscape retaining walls conform to the most current specification standards by the National Concrete Masonry Association (NCMA) and the ASTM Standard Specifications for Segmental Retaining Walls.

If our pavers or retaining walls prove to be structurally defective, we will replace the product. Replacement labor is not included and no guarantee of color matching can be made.

This warranty goes into effect on the date of purchase, and is transferable with property ownership. Proof of purchase required and certain limitations and exclusions apply.

Review and download the complete warranty with its limitations and exclusions. Please visit www.genestconcrete.com or call our sales department at 1-800-649-4773 or ask a sales representative to see a copy.

Genest manufactures retaining walls under license from Anchor Wall Systems, Inc.



Structural Integrity

Durable

Salt Resistance

Limited Lifetime Warranty



Genest is pleased to offer a TRANSFERABLE LIFETIME WARRANTY on the structural integrity of our paving stones and landscape retaining walls for residential use.

For more info about our warranty, turn to **page 78** or visit **genestconcrete.com**



13 TIDEWATER STONE[™] in Granite Blend



©Genest Lifetime Warranty